

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	((("5757407") or ("20020196300")). PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/29 14:17
S2	1887	(347/19).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/07 14:21
S3	257743	(upstream and downstream)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/11/29 10:16
S4	65519	transfer adj2 device	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/11/29 10:28
S5	4333	S3 and S4	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/11/29 10:16
S9	17	S2 and S4	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/11/29 10:47
S13	31600	(printer (print adj system)) and (printhead (print adj head) print\$1head)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/11/29 14:19
S14	51413	roller and platen	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/01/19 15:57
S15	5652	S13 and S14	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/11/29 14:19
S18	1887	(347/19).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/29 15:04
S20	266	S18 and S15	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/11/29 15:04
S21	4944071	control controller CPU	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/11/29 14:20

EAST Search History

S22	233197	((sensor detector detecting sensing measuring) with (ink liquid fluid))	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/01/19 15:57
S23	155925	S21 and S22	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/11/29 14:21
S24	156	S20 and S23	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/11/29 15:04
S25	1352300	value and position	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/11/29 15:00
S26	127	S24 and S25	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/11/29 14:31
S29	43847	value and ((first and second) adj position)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/11/29 15:00
S31	5	S24 and S29	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/11/29 15:05
S32	40210	("347").CLAS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/29 15:04
S38	30620	feed and roller and (controller control) and (measurement measuring)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/11/29 15:35
S39	2116	S32 and S38	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/11/29 15:34
S40	861	S39 and S13	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/11/29 15:35
S41	126307	(measurement measuring) with (ink fluid liquid)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/11/29 15:35

EAST Search History

S42	348	S40 and S41	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/11/29 15:36
S43	14	S29 and S42	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/11/29 15:38
S44	135851	(media medium substrate paper) with (roller)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/11/29 15:40
S45	307	S42 and S44	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/11/29 15:40
S55	194717	(first adj (location position)) and (second adj (location position))	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/12/07 16:24
S57	38827	third adj (position location)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/12/07 14:26
S62	26	("4207579" "4447817" "4660752" "4682904" "4821049" "4843338" "5019839" "5077680" "5123061" "5276970" "5342133" "5345863" "5393151" "5419644" "5456544" "5593240" "5596423" "5610634" "5706414" "5730537" "5800076" "5943081" "5992994" "6097499" "6106115").PN. OR ("6508529").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/07 14:40
S69	6125812	value amount level	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/12/07 16:19
S71	840769	(preset pre\$1set predetermined pre\$1determined specified specific) adj2 (value amount level)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/12/07 16:18
S73	2279	S51 and S53	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/12/07 16:16

EAST Search History

S74	230	S73 and S55	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/12/07 16:26
S75	27	S74 and S57	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/12/07 16:27
S76	71	S74 and S71	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/12/07 16:29
S77	15	S75 and S71	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/12/07 16:21
S93	4759	((347/16) or (347/19) or (347/104) or (347/105)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2006/01/19 15:53
S96	301784	transfer\$2 and discharg\$3	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/01/19 15:56
S97	1023810	roller	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/01/19 15:57
S98	235906	((sensor detector detecting sensing measuring) with (ink liquid fluid))	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/01/19 16:29
S99	37133	(amount value) same ((first and second) near2 (position location))	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/01/19 16:28
S10 0	1	S93 and S95 and S96 and S97 and S98 and S99	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/01/19 16:27
S10 1	890	S93 and S97 and S98	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/01/19 16:30
S10 2	1385986	(amount value) same (position location)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/01/19 16:28

EAST Search History

S10 3	552	S101 and S102	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/01/19 16:28
S10 6	374509	((sensor detector detecting sensing measuring measure count counter counting) with (ink liquid drop fluid))	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/01/19 16:29
S10 8	609	S93 and S97 and S106 and S102	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/01/19 16:31
S10 9	4782987	first and second	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/01/19 16:31
S11 0	313222	(first and second) near2 position	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/01/19 16:38
S11 1	1003	S93 and S97 and S106	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/01/19 17:13
S11 3	154	S110 and S111	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/01/19 16:39
S11 8	2234	((first and second) near2 position) with (medium media paper sheet) same roller	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/01/19 17:13
S11 9	32	S118 and S111	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/01/19 16:47
S12 0	10288	S94 and S106	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/01/19 17:13
S12 1	49	S118 and S120	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/01/19 17:14
S12 2	17	S121 not S119	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/01/19 17:14

EAST Search History

S12 3	4238	(parameter near2 input) with device	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/01/26 10:21
S12 9	30	(parameter adj input adj device) with user	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/01/26 10:37
S13 0	1	S124 and S129	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/02/17 13:46
S13 1	3889	device with (paper medium media) with parameter	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/01/26 10:43
S13 2	105	S124 and S131	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/01/26 10:40
S13 3	362	device with (paper medium media) with parameter with user	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/01/26 10:46
S13 4	5	S124 and S133	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/01/26 10:43
S13 5	794	(detect\$3 device sens\$3) with (paper medium media) with (parameter characteristic) with user	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/01/26 10:46
S13 6	28	S124 and S135	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/01/26 10:50
S14 4	3	((("6450634") or ("6623093") or ("6549224")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2006/01/26 11:00
S14 6	93	(ink drop) with (measur\$4 and determinati\$2) with device	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/02/17 13:05
S14 7	219152	(preset threshold) near2 value	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/02/17 13:05

EAST Search History

S14 8	818	(detect\$3 device sens\$3) with (paper medium media) with (parameter characteristic) with user	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/02/17 13:41
S14 9	65082	("347").CLAS.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2006/02/17 13:18
S15 0	28	S149 and S148	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/02/17 13:56
S15 1	1	S146 and S147 and S148	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/02/17 13:19
S15 4	26	S146 and S147	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/02/17 13:36
S15 5	311	((ink drop) near2 amount) with (measur\$4 determinat\$3) with (device unit mean)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/02/17 13:38
S15 6	359	((ink drop) near2 (amount concentration)) with (measur\$4 determinat\$3) with (device unit mean)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/02/17 14:17
S15 7	46	S147 and S155	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/02/17 13:39
S15 8	220844	user with input	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/02/17 13:39
S15 9	11	S157 and S158	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/02/17 13:39
S16 0	16642	(parameter characteristic) with (user with input)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/02/17 13:51
S16 1	1	S148 and S156	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/02/17 13:42

EAST Search History

S16 9	97099	(guideline limitation restriction specification quality characteristic attribute character condition description element parameter boundary edge) with (paper medium media) with (device unit means)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/02/17 14:02
S17 0	82557	(thickness material size parameter quality characteristic) with (paper media medium) with (device unit)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/02/17 14:03
S17 1	630	((thickness material size parameter quality characteristic) with (paper media medium) with (device unit)) same (input with user)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/02/17 14:14
S17 2	39	S149 and S171	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/02/17 14:04
S17 3	15370	((thickness material size parameter quality characteristic type) with (paper media medium sheet) with (device unit)) and (input with user)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/02/17 14:16
S17 4	15629	((thickness material size parameter quality characteristic type proptet\$3) with (paper media medium sheet) with (device unit)) and (input with user)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/02/17 14:16
S17 5	547	S174 and S149	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/02/17 14:16
S17 6	8311	(ink drop) with (measur\$4 determinat\$3) with (device unit mean)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/02/17 14:17
S17 7	48	S175 and S176	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/02/17 14:32
S17 8	37	S177 not S172	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/02/17 14:34
S17 9	2531	(mode adj switch\$3) near2 (device unit)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/02/17 14:34

EAST Search History

S18 2	44	((suspension and (regular normal)) near2 mode) same (switch\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/02/17 15:11
S18 3	649913	(ink drop liquid) with (unit device)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/02/17 15:12
S18 4	44	((suspension and (regular normal)) near2 mode) same (switch\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/02/17 15:18
S18 5	2531	(mode adj switch\$3) near2 (device unit)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/02/17 15:12